

Date: _____
 Dealer Acct #: _____
 Dealer: _____
 Dealer Contact: _____
 Dealer Address: _____
 Dealer City: _____ ST: _____ ZIP: _____
 Dealer Phone: () _____ Fax: () _____

Confirm Via: ☐ Fax ☐ Email

SUBMITTING FOR: ☐ Quote ☐ Order

PO#: _____
 Ship To: _____
 Attention: _____
 Address: _____
 Address: _____
 Ship To City: _____ ST: _____ ZIP: _____
 Ship To Phone: () _____ Fax: () _____
 Mark For: _____

The HCPCS CODES herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative HCPCS CODES, including misc. codes to ensure access for their enrollees. The use of HCPCS CODES does not ensure coverage or payment.

☒	Option #	HCPCS	Definition	Price	☒	Option #	HCPCS	Definition	Price
-------------------------------------	----------	-------	------------	-------	-------------------------------------	----------	-------	------------	-------

1. FRAME

A. Zippie X'CAPE - TRANSIT INCLUDED 165 lbs. Weight Capacity					B. Zippie X'CAPE - TRANSIT OPTIONAL 165 lbs. Weight Capacity				
A. FRAME STYLE: Includes True Fit					B. FRAME STYLE: Includes True Fit				
☐	121WM87	E1238	X'CAPE - Transit Incl. without seating (JAY seating opts available)	\$2,794	☐	121WM83	E1238	X'CAPE - Transit Opt. without seating (JAY seating opts available)	\$2,514
☐	121WM84	E1236	X'CAPE - Transit Incl. with Seating (Sling and Back Upholstery)	\$2,980	☐	121WM85	E1236	X'CAPE - Transit Opt. with Seating (Sling and Back Upholstery)	\$2,713
<u>Note:</u> HCPCS Codes shown as submitted. Some sizes fit other HCPC codes i.e. 15"-18" widths = K0005					<u>Note:</u> HCPCS Codes shown as submitted. Some sizes fit other HCPC codes i.e. 15"-18" widths = K0005				

TRANSIT SYSTEM WC-19

☐	121TO48	K0108	Transit Option	\$374	☐	121TO40	Omit Transit	NC
--------------------------	---------	-------	----------------	-------	--------------------------	---------	--------------	----

FRAME TYPE

☐	121FT64		Zippie-Swing Away Frame	NC	☐	121FT65		Zippie-80° Fixed Front Frame	NC
--------------------------	---------	--	-------------------------	----	--------------------------	---------	--	------------------------------	----

2. SIZE/SEATING

2A. FRAME WIDTH

☐	121W48		8" (Frame Width Growth 9"-10")	NC	☐	121W53		13" (Frame Width Growth 14"-15")	NC
☐	121W49		9" (Frame Width Growth 10"-11")	NC	☐	121W54		14" (Frame Width Growth 15"-16")	NC
☐	121W50		10" (Frame Width Growth 11"-12")	NC	☐	121W55		15" (Frame Width Growth 16"-17")	NC
☐	121W51		11" (Frame Width Growth 12"-13")	NC	☐	121W56		16" (Frame Width Growth 17"-18")	NC
☐	121W52		12" (Frame Width Growth 13"-14")	NC					

2B/C. SLING DEPTH, FRAME DEPTH AND BACK POST POSITION. See matrix on page 2.

8"-11" Frame Depth with 20", 22" or 24" wheels and Personalized Seating must have hublock or Fixed Front frame. When selecting Frame Depth with JAY seating, add 1" to accommodate seating. Example: need 12" depth, order 13" depth.

2B. Sling Depth when choosing with Seating Sling must be up to 3" less than or equal to the Frame Depth (C.)

☐	121GJ1		8"	NC	☐	121GJ7		14"	NC
☐	121GJ2		9"	NC	☐	121GJ8		15"	NC
☐	121GJ3		10"	NC	☐	121GJ9		16"	NC
☐	121GJ4		11"	NC	☐	121GJ10		17"	NC
☐	121GJ5		12"	NC	☐	121GJ11		18"	NC
☐	121GJ6		13"	NC					

2C. Frame Depth and Back Post Position with Growth Note: Must be equal or greater than Sling Depth if chosen with seat Sling

☐	121FD40		8" (Frame depth growth 9"-11", N/A w/ 24" wheels)	NC	☐	121FD46		14" (Frame depth growth 15"-17")	NC
☐	121FD41		9" (Frame depth growth 10"-12", N/A w/ 24" wheels)	NC	☐	121FD47		15" (Frame depth growth 16"-18")	NC
☐	121FD42		10" (Frame depth growth 11"-13")	NC	☐	121FD48		16" (Frame depth growth 17"-19")	NC
☐	121FD43		11" (Frame depth growth 12"-14")	NC	☐	121FD49		17" (Frame depth growth 18"-20")	NC
☐	121FD44		12" (Frame depth growth 13"-15")	NC	☐	121FD50		18" (Frame depth growth 19"-20")	NC
☐	121FD45		13" (Frame depth growth 14"-16")	NC					

4. REAR WHEELS/SEAT HEIGHT

Rear Wheels

Not Available with 5 Spoke Mag Wheels. N/A w/ Hub Lock. Std Mag Wheels only available with One Arm Drive. 24" wheels. N/A with 8" and 9" frame depths. 8"-12" Frame Depth with 20-24" Rear Wheels and ELR's is ONLY available with Hub Lock Wheels.

☐	121RW48	12" Mag (Not available with handrims or one arm drive)	\$63
☐	121RW14	16" Mag (Not available with handrims or one arm drive)	\$63
☐	121RW3	20" Mag Wheel	NC
☐	121RW8	22" Mag Wheel	NC
☐	121RW1	24" Mag Wheel	NC
☐	121RW103	20" Mag Wheel 5 Spoke	NC
☐	121RW104	22" Mag Wheel 5 Spoke	NC
☐	121RW102	24" Mag Wheel 5 Spoke	NC
☐	121RW74	20" Lite Spoke Wheel	\$234
☐	121RW75	22" Lite Spoke Wheel	\$234
☐	121RW76	24" Lite Spoke Wheel	\$234
☐	121RW06	22" Ultra light wt. Spoke Wheel 2.0	\$292
☐	121RW10	24" Ultra light wt. Spoke Wheel 2.0	\$292
☐	121RW28	22" Spinergy SPOX Black Spokes	\$957
☐	121RW95	24" Spinergy SPOX Black Spokes	\$957
☐	121RW32	22" Spinergy LX Black Spokes	\$1,237
☐	121RW98	24" Spinergy LX Black Spokes	\$1,237

Handrim

Natural Fit not available with 20" and 22" 5 Spoke Mag Wheel

☐	121HR1	Aluminum Anodized	NC
☐	121HR4	Plastic Coated (N/A on Ultra and 22" Spinergy LX, SPOX)	\$129
☐	121HR22	Natural Fit -Standard Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$549
☐	121HR23	Natural Fit - Super Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$611
☐	121HR39	Ellipse 3R	\$500
☐	121HR40	Carbolife-Gekko (N/A Mag Wheel Spoke)	\$450
☐	121HR41	Carbolife-Curve L-Tetra Grip	\$575
☐	121HR7	Omit Handrim (Option may not be available on all rear wheels)	NC

Rear Wheel Tire

☐	121RT3		Full Poly Tire	NC
☐	121RT6	E2211 E2212	High Pressure Clincher	\$110
☐	121RT27	E2211 E2212	Knobby V-TRAK by Kenda	\$110
☐	121RT38	E2218	SHOX Performance Poly	\$110
☐	121RT1		Pneumatic	NC
☐	121RT2	E2211 E2213	Pneumatic Airless Insert	\$100
☐	121RT21	E2211 E2212	Schwalbe Marathon Plus Evolution	\$164
☐	121RT28	E2211 E2212	Schwalbe Speed	\$164
☐	121RT4		Low Poly	NC

	Wheel	5 Spoke Mag	Std. Mag	Lite Spoke	Ultra Light- weight	Spinergy
Tire						
Full Poly Tire	20", 22", 24"	20", 22", 24"	20", 22", 24"	20", 22", 24"		
High Pressure Clincher				22", 24"	24"	22", 24"
SHOX Performance Poly	20", 22", 24"			20", 22", 24"		22", 24"
Knobby V-TRAK				24"		24"
Pneumatic	20", 22", 24"	12", 16", 20", 22", 24"	20", 22", 24"			22", 24"
Pneumatic Airless Insert	20", 22", 24"	12", 16", 20", 22", 24"	20", 22", 24"			22", 24"
Schwalbe Marathon Plus				24"	22", 24"	22", 24"
Schwalbe Speed Run				24"	24"	24"
Low Poly			12"	24"		
22" = 489 mm 24" = 540 mm						

Axle Plate

☐	121AL33		Standard	NC
--------------------------	---------	--	----------	----

4. REAR WHEELS/SEAT HEIGHT (Continued)

One Arm Drive

Not available with 12"-16" wheels. Only avail. on 12"-16" widths and 20", 22" and 24" mag wheels. N/A with Natural Fit handrims. Not available with SPHA arms

☐	121AL16	E0958	One Arm Drive	\$1,051
☐	121OA2		Standard Handrim	NC
☐	121HM1	☐	Right Hand Mount	NC
☐	121HM2	☐	Left Hand Mount	NC
☐	121OA1		Small Handrim (Not available with 20" rear wheels)	NC
☐	121HM1	☐	Right Hand Mount	NC
☐	121HM2	☐	Left Hand Mount	NC

Axle

☐	121AX1		Quick Release (N/A w/ One Arm Drive)	NC
☐	121AX11		Quad Quick Release (Only Available with 12" and 16" Mag Wheels)	\$147

Center of Gravity Preset (Dependent on wheels, casters & depth, From standard frame depth +2" forward and - depth growth up to -3")

☐	121CC28		-0.5"	NC
☐	121CC26		0 (Flush w/ backrest)	NC
☐	121CC16		0.5" (Only avail 9"-18" deep)	NC
☐	121CC20		1" (Only avail 10"-18" deep)	NC
☐	121CC15		1.5" (Only avail 10"-18" deep)	NC
☐	121CC17		2" (Only avail 16"-18" deep)	NC
☐	121CC18		2.5" (Only avail 16"-18" deep)	NC

Camber

☐	121CI1		0°	NC
☐	121CI2		3° (N/A w/ Single Post Ht. Adj. Arm)	NC

Rear Seat Height (See Allowable Squeeze chart)

☐	121RH32		11"	NC
☐	121RH33		11.5"	NC
☐	121RH9		12"	NC
☐	121RH10		12.5"	NC
☐	121RH11		13"	NC
☐	121RH12		13.5"	NC
☐	121RH13		14"	NC
☐	121RH14		14.5"	NC
☐	121RH15		15"	NC
☐	121RH16		15.5"	NC
☐	121RH17		16"	NC
☐	121RH18		16.5"	NC
☐	121RH19		17"	NC
☐	121RH26		17.5"	NC
☐	121RH20		18"	NC

Rear Wheel	Rear Seat Height															
	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	
12" low poly																
12" pneu																
16"																
20"																
22"																
24"																
24" pneu																
When tires are not listed default to the wheel size. All Heights are subject to vary slightly																

Allowable Squeeze (may vary +/- 1/2")	
Frame Depth	Max Squeeze
8"-9"	1.0"
10"-12"	1.5"
13"-15"	2.0"
16"-18"	2.5"

5. WHEEL LOCK

Hub Lock

Only available with 12" or 16" mag wheels or Lite Spoke wheels. Not available with One Arm Drive.

☐	121LK01		12" Hub Lock	\$116
☐	121LK02		16" Hub Lock	\$116
☐	121LK04		20"-24" Hub Lock Lite Spoke	\$116

Hub Lock Mount Position

Foot lock may limit folding width.

☐	121HH01	Foot lock Mount	NC
☐	121HH02	Seat Mount	NC
☐	121HH03	Back Mount (back ht. may be limited)	NC

Wheel Lock

High Mount will be mounted in low position on 12 and 16 rear wheels. Some may not be available depending on wheel size and position.

☐	121WL1		High Mount Push	NC
☐	121WL2		High Mount Pull	NC
☐	121WL30		Compact	\$164
☐	121WL10		Omit	NC

Extension Handle (Only avail w/ High Mount Wheel Locks)

☐	121EH1	E0961	6" Pair	\$88
--------------------------	--------	-------	---------	------

Swing Away 8"-12" Frame Depth Wheel Lock go/no-go matrix									
Frame Depth	C.G.	20" wheel	22" wheel	24" wheel	Frame Depth	C.G.	20" wheel	22" wheel	24" wheel
8"	-0.5"				11	-0.5"			
	0"					0"			
	0.5"					0.5"			
	1"					1"			
9"	-0.5"				12	1.5"			
	0"					-0.5"			
	0.5"					0"			
	1"					0.5"			
10"	-0.5"					1"			
	0"					1.5"			
	0.5"					No-go. User must use hublock.			
	1"					Go			
	1.5"								

6. HANGER AND FOOTREST

Z-finity Hangers/Footrest System

Not Available on Fixed Frame.

Some interference may exist in certain configurations.

☐	121H162	Z-finity Hanger	STD
☐	121H160	Elevating Hanger - Ext Mount Includes ELR pad. N/A w/ Z-finity. Some limitations may exist.	\$147
☐	121H144	Omit Hanger	NC

Z-finity Footrest Mount (Must Chose see Illustration)

☐	121DI22	Direct Hanger Mt/Fixed Frame - High	NC
☐	121DI23	Direct Hanger Mt/Fixed Frame - Low	NC
☐	121DI24	Extension Tube Mount	NC

Z-finity Footrest Pivot Arm (Must Choose, use matrix for leg length)

☐	121DI20	Short 2"	NC
☐	121DI21	Long 3-1/4"	NC

Footplate

Some interference may exist in certain configurations.


☐	121F320	K0040	Multi-Angle Adjustable - Pair (N/A w/ 8"-9" widths)	\$216
☐	121F321	K0040	Angle Adjustable Platform Footboard	\$250
☐	121F6		Omit Footplate	NC

Extension Tube Length (When Choosing Ext. Tube Mount)


☐	121E62	Hemi	NC
☐	121E1	Short	NC
☐	121E2	Medium	NC
☐	121E5	Long	NC

Z-finity Matrix

Direct Hanger Mount



Extension Tube Mount



Direct Hanger Mounted			
Pivot Arm	Hanger Mounting Position	Min	Max
Short	High Mount	0.5"	4.5"
	Low Mount	3.5"	8.0"
Long	High Mount	-1.0"	5.5"
	Low Mount	2.5"	9.0"

Extension Tube Mounted			
Pivot Arm	Extension Tube Length	Min	Max
Short	Hemi Short	5.8"	14.1"
	Short	6.5"	15.1"
	Medium	8.4"	17.0"
	Long	10.3"	19.0"
Long	Hemi Short	4.6"	15.3"
	Short	5.2"	16.3"
	Medium	7.2"	18.3"
	Long	9.2"	20.2"

ELR Ext Mt.(MED Ext Tube)

Pivot Arm	Min	Max
Short	7.0"	18.0"
Long	6.0"	19.0"

Hanger Mounted Footrest (Footplates Mount to Hanger Tubing)

Not Available with 8" and 9" width. Footplate mounted in lowest position may cause interference with caster.

☐	121H157	80° Swing In/Out Front Mount	NC
☐	121H158	90° Swing In/Out Front Mount	NC

Extensions (may interfere with some seat heights & casters)

☐	121E23	2" (not mounted)	\$63
☐	121E24	4" (not mounted)	\$63


Footplate

☐	121F9	K0040	Kids Angle Adjustable (only available w/ 10"-16" frame widths)	\$216
☐	121F8	K0040	Adult Angle Adj. (only available with 10"-16" widths)	\$221

Swing In/Out Hanger Leg Lengths

(Seat sling to footrest measured)

80° Hanger	Min	Max
No Ext. Tube	5.7"	9.7"
2" Ext. Tube	11.2"	12.2"
4" Ext. Tube	11.2"	14.1"
90° Hanger	Min	Max
No Ext. Tube	6.0"	10.0"
2" Ext. Tube	11.5"	12.5"
4" Ext. Tube	11.5"	14.5"



Footrest Options

☐	121HL8	K0038	Leg Strap	\$47
☐	121HL11	E0951	Heel Loops (N/A w/ Kids Angle Adj. Z-finity. N/A on widths below 14")	\$47
☐	121IG2		Neoprene Impact Guards (N/A with footrest in highest mounted position)	\$105

7. BACKRESTS

BACKREST									
☐	121BT10		Standard Backrest (Angle adj./folding)	NC	☐	121BT101	E2398	Dynamic Backrest (N/A w/ Fixed Back)	\$1,744

BACK TYPE (Choose Height Adjustable or Fixed Height)

☐	121BT120	Height Adjustable (see matrix below)	NC	OR	☐	121BT53	Fixed Height	NC
--------------------------	----------	--------------------------------------	----	----	--------------------------	---------	--------------	----

Height Adjustable (See Backrest Height Range matrix)

Must choose Lower Base Tube, Backrest Style, and Upper Back Tube.

Lower Base Tube (See Backrest Height Matrix Below)

☐	121BP58	Short	NC
☐	121BP59	Medium	NC
☐	121BP60	Tall (N/A with Dynamic Backrest)	NC

Backrest Styles (See Images Below)

☐	121PH16	Straight Non Push Handle	NC
☐	121PH6	Integral Push handle	NC
☐	121PH17	Folding Push Handle with Ht. Adj. Back (8"-10" widths, stroller handle will face outward)	\$321
☐	121PH15	Omit Back Tube (See omit matrix)	NC

Upper Back Tube (See Backrest Height Matrix Below)


☐	121B245	Short	NC
☐	121B5	Medium	NC

Height Adjustable Backrest					
Preset Back height (Choose for Set Up) No Upholstery w/ 19"-24"					
o	9"	o	15"	o	20"
o	11"	o	16"	o	21"
o	12"	o	17"	o	22"
o	13"	o	18"	o	23"
o	14"	o	19"	o	24"


Fixed Height

Fixed Height back not available with upholstery

☐	121BP9	Standard (16" Height)	NC
☐	121BP10	Medium (20" Height)	NC
☐	121BP11	Tall (23" Height)	NC
☐	121BP61	Standard w/ Folding PH (16" Height)	\$392
☐	121BP62	Medium w/ Folding PH (20" Height)	\$392
☐	121BP63	Tall w/ Folding PH (23" Height)	\$392



Backrest Height Ranges									
Upper Back Tube (Choose One)									
			Straight non-push handle Short	Straight non-push handle Medium	Integral push handle Short	Integral push handle Medium	Folding Push Handle Short	Folding Push Handle Medium	Omit
Lower Base Tube (Choose one)	Standard	Short	11"-15"	15"-19"	11"-15"	15"-19"	12"-16"	16"-20"	9"
		Medium	15"-19"	18"-23"	15"-19"	18"-23"	16"-20"	19"-24"	13"
		Tall	18"-22"	18"-24"	18"-22"	18"-24"	19"-23"	19"-24"	16"
	Dynamic	Short	14"-18"	18"-22"	14"-18"	18"-22"	15"-19"	19"-23"	12"
		Medium	18"-22"	21"-24"	18"-22"	21"-24"	19"-23"	22"-24"	16"



7. BACKRESTS (Continued)

Back Upholstery

Uph. N/A with Fixed Height back. Std Uph N/A w/Flip-Up, Adj. Locking Flip-Up and Length Adj Locking Flip-up . 3DX N/A on 8"-11" widths. Ballistic N/A on 8"-9" widths.

☐	121BU1		Standard Upholstery	STD
☐	121BU71	E2611	Backrest Tension Adj. 3DX Vented	\$387
☐	121BU70	E2611	Backrest Tension Adj. Ballistic	\$367
☐	121BU66		Omit Back Upholstery	NC

JAY Back (Optional)

To order any other JAY back on-chair, please See the JAY Price Lst. Requires Part #

☐	121JB02	JAY Bundled Backrest	Price List
		Backrest Name or Part #	
		Width (in.):	Height (in.):

Stabilizer Bar

N/A w/ Dynamic back and Fixed Back. Only available w/ Integral push handle.

☐	121SZ1	Stabilizer Bar	\$123
--------------------------	--------	----------------	-------

8. ARMRESTS/SIDEGUARDS

Armrest and Armpad - Height Adjustable

Flip-Up, Adj. Locking Flip-Up and Length Adj. Locking Flip-up N/A with Std Back Upholstery. Low RSH in combination with large wheels may result in arm interference. SPHA arms not available with One Arm Drive.

☐	121AA58	E0973	T-Post Xtra Tall (with sideguard)	\$309
☐	121AA59	E0973	T-Post 2X Tall (with sideguard)	\$309
☐	121AA3		Flip-Up	NC
☐	121AA1	E0973	Adjustable Locking Flip-Up	\$309
☐	121AA7	E0973	Length Adjust. Locking Flip-Up	\$321
☐	121AA11	E0973	Single-Post Ht Adj. Std. (N/A w/ 3° camber or 8"-9" frame depths)	\$333
☐	121AA29	E0973	Single-Post Height Adj. Low (N/A w/ 3° camber or 8"-9" frame depths)	\$333
☐	121AA14		Omit Armrest	NC

Side Guard

Not available with height adjustable armrests and T-Posts


☐	121SG33	K0108	Plastic Std	\$169
☐	121SG29	K0108	Plastic Low	\$169

Armpad


Not available with T-Post and Adj. Locking Flip-Up and Foam only available with Length Adj. Locking Flip-Up.

☐	121AM23		Desk Classic	NC
☐	121AM24		Full Classic (N/A w/ 10"-13" Depth)	NC
☐	121AM9		Foam Short (N/A w/ T Post)	NC
☐	121AM10		Foam Long (N/A w/ T Post)	NC

Single Post Height Adjustable Armrest					
Pad	Armrest Size	Transfer Tube Length (D)	Range (H)	Pad Length (L)	
				Desk	Full
Classic	STD	8"	9-1/2" to 14-1/2"	10-1/4"	14"
	LOW	5-1/4"	8" to 12"		



Armrest Size	T-POST	
	Range (H)	Pad Length (L)
XTALL	6" to 7"	7"
2X TALL	7-1/2" to 8-1/2"	



9. ACCESSORIES**Back Pack (One Backpack Black/Charcoal already included)**

☐	121A1	Black Utility Backpack	\$88
☐	121A2	Backpack Black/Charcoal Kids	\$70

Miscellaneous

☐	1218A03	Caddy (Only avail w/ Ext. Mt. hangers)	\$58
☐	1213A01	Tool Kit	\$63
☐	121A2100	E2207 Crutch Holder	\$227

Positioning Belt

☐	121A823	E0978 Belt 1" Dual Adj. Sqz Blk Pad	\$100
☐	121A824	E0978 Belt 2" Aircraft Buckle	\$129
☐	121A825	E0978 Belt 2" Aircraft Buckle Padded	\$139
☐	121A826	E0978 Belt 1.5" Auto Buckle	\$82
☐	121A814	E0978 1" Comfort Fit APB5116	\$139

Upper Extremity Support Tray

Not available with 8"-9" widths

☐	121A29	E0950 X-Small (Suggested 10"-12" chair width)	\$298
☐	121A30	E0950 Small (Suggested 13"-14" chair width)	\$298
☐	121A31	E0950 Medium (Suggested 15"-17" chair width)	\$298
☐	121A32	E0950 Large (Suggested 18"-20" chair width)	\$311

Canopy (SunShade)

Need 2" back post clearance to mount canopy hardware

☐	1218A06	K0108 Canopy (Sunshade) 10"-14" Width	\$321
☐	1218A07	K0108 Canopy (Sunshade) 15"-20" Width	\$321

10. COLOR (Standard with frame and cross brace color choices)**Frame Color (Must choose)**

☐	190C214	Black (Gloss)	NC
☐	190C215	Black (Matte)	NC
☐	190C211	Celestial Sapphire	NC
☐	190C212	Desert Sage	NC
☐	190C213	Desert Tan	NC
☐	190C216	Metallic Shadow	NC
☐	190C217	Midnight Blue	NC
☐	190C218	Mystic Purple	NC
☐	190C219	Petal Pink	NC
☐	190C220	Pink Power	NC
☐	190C221	Red Pepper	NC
☐	190C222	Royal Blue	NC
☐	190C223	Salute Green	NC
☐	190C224	Scarlet Noir	NC
☐	190C225	Silver Ore	NC
☐	190C226	Solar Orange	NC
☐	190C227	Starlight White	NC
☐	190C228	Storm Gray	NC
☐	190C229	Turbo Green	NC
☐	190C230	Velocity Yellow	NC

Personalized Colors (Must choose cross brace std. color)

☐	121C43	Mossy Oak Camouflage	\$460
☐	121C42	Stars and Stripes	\$460
☐	121C108	Zebra (Choose standare base color) N/A Black Matte/Gloss	\$460

Seat Pouch

☐	1211A01	Black	\$58
--------------------------	---------	-------	------

Anti-Tip

☐	121AT1	E0971 Rear Anti-Tip	\$175
☐	121AO1	E0971 Front Anti-Tip (N/A with transit opt.)	\$175

Spoke Guard

Not available with 12" and 16" rear wheels or 5 spoke mag.

☐	1214A01	K0065 Black	\$134
☐	1214A02	K0065 Clear Zippie	\$134

Designer Spoke Guard

Only available with 22" or 24" Spoke rear wheels

☐	1214A10	K0065 Basketball	\$234
☐	1214A11	K0065 Chrome Wheels	\$234
☐	1214A12	K0065 Graffiti	\$234
☐	1214A13	K0065 Happy Lions	\$234
☐	1214A14	K0065 Hot Wheels	\$234
☐	1214A15	K0065 Mice n Cheese	\$234
☐	1214A16	K0065 Princess	\$234
☐	1214A17	K0065 Space Galactica	\$234
☐	1214A18	K0065 Super Hero	\$234
☐	1214A19	K0065 Zebra	\$234

Cross Brace Color

☐	190C627	Celestial Sapphire - Cross Brace	NC
☐	190C628	Desert Sage - Cross Brace	NC
☐	190C629	Desert Tan - Cross Brace	NC
☐	190C630	Gloss Black - Cross Brace	NC
☐	190C631	Matte Black - Cross Brace	NC
☐	190C632	Metallic Shadow - Cross Brace	NC
☐	190C633	Midnight Blue - Cross Brace	NC
☐	190C634	Mystic Purple - Cross Brace	NC
☐	190C635	Petal Pink - Cross Brace	NC
☐	190C636	Pink Power - Cross Brace	NC
☐	190C637	Red Pepper - Cross Brace	NC
☐	190C638	Royal Blue - Cross Brace	NC
☐	190C639	Salute Green - Cross Brace	NC
☐	190C640	Scarlet Noir - Cross Brace	NC
☐	190C641	Silver Ore - Cross Brace	NC
☐	190C642	Solar Orange - Cross Brace	NC
☐	190C643	Starlight White - Cross Brace	NC
☐	190C644	Storm Gray - Cross Brace	NC
☐	190C645	Turbo Green - Cross Brace	NC
☐	190C646	Velocity Yellow - Cross Brace	NC

Additional Options Through Built-4-Me

To inquire about any unique personalization for Zippie products, contact:
Phone: (800) 333 - 4000, Fax: (800) 333 - 9011

Commonly Requested Options Include:

- ✓ Solid Seat
- ✓ Grade Aid
- ✓ Drum Brake



Sunrise Medical (US) LLC
12002 Volunteer Blvd · Mount Juliet, TN 37122 · USA

Customer Service: 800-333-4000 Fax: 800-300-7502 Email: orders@sunmed.com Web: www.sunrisemedical.com

© 8/2026 MK-100020 REV X