





ORDER FORM

To see QUICKIE Power Options or Accessories, scan here or visit: https://www.sunrisemedical.com/ power-wheelchair-options-accessories






EIPW25

| Customer | Ship To |
|-----------|-----------|
| Account # | Name |
| Date | Address |
| PO# | City |
| Buyer | State Zip |
| Mark For | Phone |

Client Measurements

| a) | Top of head to seat | in |
|----|-------------------------|----|
| b) | Top of shoulder to seat | in |
| c) | Underarm to seat | in |
| d) | Elbow to seat | in |
| e) | Top of leg to seat | in |
| f) | Shoulder width | in |
| g) | Chest width | in |
| i) | Hip width | in |
| j) | Actual sitting depth | in |
| m) | Foot length | in |
| n) | Knee to foot | in |
| o) | Seat width | in |



Notes

Chair Specifications

| НСРС | K0848 / K0849 / K0856 / K0857 / K0869 / K0868 / K0877 / K0878 |
|--------------------------------|--|
| Typical Weight w/out Batteries | 263 lbs. |
| Typical Weight with Batteries | 363 lbs. |
| Power Seating | 50° CG Tilt / 12" seat elevator |
| Seat Type | Captain's Seat w/25° Adjustable Recline |
| Seat Size Range | Width 16" to 20" Depth 16" to 22" |
| Seat-to-Floor Height Range | 17" to 19" |

Mid-Wheel Drive Base Specifications

| Drive Wheel Position | Mid-wheel drive |
|--------------------------|---|
| User Weight Capacity | 300 lbs. |
| Base Size | Width 24.5", Length 36.5" |
| Minimum Turning Radius | 19.8" (excludes footplates) |
| Drive Control | R-net PM 120A / R-net PM 90A |
| Driving Range | Up to 18 miles (w/ Group 24 Batteries) |
| Drive Motors | 4-pole 6 mph, 8 mph |
| Drive Wheels | 14" w/flat-free inserts (black) |
| Casters | 6" front / 6" rear (black) |
| Charger | 10A Dual Mode (Compact) |
| Battery Size | Group 24 / Group 34 |
| Color | 8 shroud colors and 7 color accents |
| Maximum Ground Clearance | 3" |

| BASE | | | |
|---------------|----------|---|-------------|
| OPTION | НСРС | DESCRIPTION | RETAIL |
| Group 3 Stand | ard Duty | Mid Wheel Drive Base End Item Number EIPW25 | \$ |
| 250PC206 | K0849 | Quickie Q700 M NCC No Power Captains Seat and Back Included in Base Pricing: Q700 M Base, R-net 90amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 6mph, Weight Capacity = 300 lbs., STFH = 17". | \$9,159.00 |
| 250PC231 | K0848 | Quickie Q700 M NCC No Power Captains Seat Back and Solid Seat Included in Base Pricing: Q700 M Base, R-net 90amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 6mph, Weight Capacity = 300 lbs., STFH = 17". | \$9,159.00 |
| 250PC207 | K0857 | Quickie Q700 M SCC Single Power Option Captains Seat and Back Included in Base Pricing: Q700 M Base, R-net 90amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 6mph, Weight Capacity = 300 lbs., STFH = 17". | \$9,159.00 |
| 250PC214 | K0856 | Quickie Q700 M SCC Single Power Option Captains Seat Back and Solid Seat Included in Base Pricing: Q700 M Base, R-net 90amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 6mph, Weight Capacity = 300 lbs., STFH = 17". | \$9,159.00 |
| Group 4 Stand | ard Duty | Mid Wheel Drive Base End Item Number EIPW25 | \$ |
| 250PC210 | K0869 | Quickie Q700 M NCD No Power Captain Seat and Back Included in Base Pricing: Q700 M Base, R-net 120amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 8mph, Weight Capacity = 300 lbs., STFH = 17". | \$14,583.00 |
| 250PC229 | K0868 | Quickie Q700 M NCD No Power Captains Seat Back and Solid Seat Included in Base Pricing: Q700 M Base, R-net 120amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 8mph, Weight Capacity = 300 lbs., STFH = 17". | \$14,583.00 |
| 250PC211 | K0878 | Quickie Q700 M SCD Single Power Option Captains Seat and Back Included in Base Pricing: Q700 M Base, R-net 120amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 8mph, Weight Capacity = 300 lbs., STFH = 17". | \$14,583.00 |
| 250PC230 | K0877 | Quickie Q700 M SCD Single Power Option Captains Seat Back and Solid Seat Included in Base Pricing: Q700 M Base, R-net 120amp Electronics for No Power Seat Functions, ProGrip™ with 6-wheel Independent Suspension, 14" Drive Wheels with Dual Density Inserts, 6" Flat Free Casters, ISO Occupied Tie-Down Brackets and 10amp Charger. Max Speed = 8mph, Weight Capacity = 300 lbs., STFH = 17". | \$14,583.00 |

| BASE | | | |
|-------------------|------------|---|------------|
| OPTION | HCPC | DESCRIPTION | RETAIL |
| User Weight | | | \$ |
| 250WG22 | _ | Up to 250 lbs. | NC |
| 250WG03 | - | 251 to 300 lbs. | NC |
| Motor Package | Э | | \$ |
| 250PF99 | - | 4-pole 10 kph / 6 mph (Standard for Group 3 K0848, K0849, K0856, K0857) | NC |
| 250PF100 | - | 4-pole 12.5 kph / 8 mph (Standard for Group 4 K0868, K0869, K0877, K0878) | NC |
| 250PF101 | _ | 4-pole 12.5 kph / 8 mph (Upgrade for Group 3 K0848, K0849, K0856, K0857) | \$1,342.00 |
| Tracking | | | \$ |
| 250MI01 | K0108 | SureTrac® Module & Motor Encoders (Improves drive tracking) | \$1,628.00 |
| Drive Wheels | | | \$ |
| 250DW58 | _ | Drive Wheel, 14", Dual Density, Knobby, Black | NC |
| | | | |
| Caster Wheels | _ | Caster Wheels 6", Solid, Black | \$ NC |
| | | Castel Wileels U , Sullu, Diack | |
| Shroud Color | | | \$ |
| 250C119 | _ | Matte Black | NC |
| 250C165 | - | Candy Apple Red | NC |
| 250C166 | _ | Candy Blue | NC |
| 250C167 | - | Candy Purple | NC |
| 250C176 | - | Green Apple | NC |
| 250C178 | - | Pearl Pink | NC |
| 250C182 | - | Silver | NC |
| 250C170 | - | American Flag | \$602.00 |
| Color Accents | | | \$ |
| Note: Color Accel | nts and Sh | hroud Colors may not match. | |
| 250EZ20 | - | Apple Green | NC |
| 250EZ22 | _ | Black | NC |
| 250EZ21 | - | Blue | NC |
| 250EZ23 | - | Orange | NC |
| 250EZ24 | - | Red | NC |
| 250EZ25 | - | Silver | NC |
| 250EZ19 | _ | White | NC |
| | | | |

| BASE | | | |
|-----------------|-------|---------------------------|------------|
| OPTION | HCPC | DESCRIPTION | RETAIL |
| | | | |
| ISO Transit Tie | Downs | | \$ |
| 250T050 | _ | ISO Transit Package | NC |
| | | | |
| LED Lights | | | \$ |
| 250LI04 | _ | LED Lights and Indicators | \$1,400.00 |
| 250LI08 | _ | LED Fender Lights | \$566.00 |
| 250LI02 | _ | Omit LED Lights | NC |
| | | | |
| Seat Heights | | | \$ |

Note: Available seat-to-floor heights are dependent on 2 options: **1**- Battery Size and **2**- Powered Seating.

Use the matrix below to determine available ranges for your desired options. Measured from front of seat pan to floor with 0° frame angle.

| | | Seat Height | Power Seating with Tilt | Power Seating with Elevate | No Power Seating | |
|----------|---|-------------|----------------------------|----------------------------|------------------|----|
| 250HT55 | - | 17" | N/A | N/A | Group 34 | NC |
| 250HT104 | - | 17.5" | N/A | N/A | Group 34 | NC |
| 250HT56 | - | 18" | Group 34 | N/A | Group 34 | NC |
| 250HT105 | - | 18.5" | Group 34 | Group 34 | GP24 or GP34 | NC |
| 250HT57 | - | 19" | Group 34 | Group 34 | GP24 or GP34 | NC |

| Batteries and (| Chargers | | \$ |
|-----------------------|-----------|--|------------|
| Group 24 Battery | Options (| (Recommended for max daily range) | |
| 250AG25 | E2363 | GP24 Flat Top Pair w/Strap MK Gel | \$1,138.00 |
| 250AG26 | E2363 | GP24 Flat Top Pair w/Strap AGM | \$857.00 |
| Group 34 Battery | y Options | (Required for lower seat-to-floor heights) | |
| 250AG27 | E2359 | GP34 Flat Top Pair w/Straps MK Gel | \$1,097.00 |
| 250AG29 | E2359 | GP34 Flat Top Pair w/Straps AGM | \$828.00 |
| Omit Batteries | | | |
| 250AG24 | - | Battery Harnesses Only (Omit Batteries) | NC |
| Chargers | | | |
| 250BJ28 | - | 10A Dual Mode (Compact) Power First | NC |

| SEATING | | | | | |
|---------------------------|-------------|--------------------|--------------------------------------|-----------------------------------|--|
| OPTION | HCPC | DESCRIPTION | N | RETAIL | |
| Power Seating | g Options | S | | | |
| Seat Elevator | | | | | |
| 250PI07 | E2298 | Seat Elevator | Seat Elevator, Powered, 300 mm / 12" | | |
| Seat Tilt | F | D | . ==1 | 40.000 | |
| 250PA35 | E1002 | Posterior 50° | ' lilt | \$8,458.0 | |
| Pre Set Seat F | rame An | gle <i>(No Pow</i> | ver Seating Options, In | eat to Floor Height) | |
| 250FA10 | - | 0° (Adds 0" t | o STFH) | N | |
| 250FA3 | - | 3° (Adds 1" t | o STFH) | N | |
| Backrest Fram | o Typo | | | | |
| 250BF08 | e Type _ | Cantain Soat I | Frame (Includes Back Cushior | N | |
| 2300100 | _ | Captain Seat i | Tarrie Includes Dack Cushior | (V | |
| Seat Cushion ⁻ | Туре | | | | |
| 250ST77 | - | Captain's | | N | |
| 250ST80 | - | JAY® | | N | |
| 250ST75 | - | Omit | | N | |
| 0 0: | | | | | |
| Seat Size | | | A 11 L D 11 | | |
| Seat Pan Width 250R53 | _ | 16" | Available Depths 16" to 18" | N | |
| 250R55 | _ | 18" | 16" to 20" | N | |
| 250R57 | _ | 20" | 18" to 22" | N | |
| | | | | | |
| | (Front of | | Back Structure. Back Cu | Cause 2" Loss of Effective Depth) | |
| 250RF51 | - | 16" | | N | |
| 250RF45 | - | 17" | | N | |
| 250RF46 | - | 18" | | N | |
| 250RF47 | - | 19" | | N | |
| 250RF48 | - | 20" | | N | |
| 250RF49 250RF50 | _ | 21" 22" | | N N | |
| ZUUNFUU | _ | LL | | IV | |
| SEATING | | | | | |
| OPTION | HCPC | DESCRIPTION | N | RETAIL | |
| JAY® Seat Cu | shion | | | | |
| 250CU59 | E2607 | JAY® Ion® (S | izes 16" - 20 " Wide) | \$460.0 | |
| 250CU61 | E2607 | JAY® Union® | (Sizes 16" - 20" Wide) | \$520.0 | |
| 250CU64 | E2622 | JAY® Fusion® | ® (Sizes 16" - 20" Wide) | \$514.0 | |
| 250CU104 | E2622 | 14V@ F : 4 | with Cryo Technology (Siz | Wide) \$630.0 | |

| POSITIONIN | G SUPP | ORTS & ACCESSORIES | |
|-----------------------|------------------|--|------------|
| OPTION | НСРС | DESCRIPTION | RETAIL |
| Armrest Struc | ture | | \$ |
| 250EG37 | - | Flip Back (Includes Waterfall Arm Pads) (Height Adjustable 11" to 14") | NC |
| Fixed Centerm | nunt Lea | | \$ |
| 250H183 | — — | SEDEO Seating Fixed Centermount Legrest (3" to 17.5" Leg Length) | \$292.00 |
| 250H184 | _ | Fixed Centermount Legrest, Short (Includes Calf Pads and Single Footplate) (11.5" - 14.5" Leg Length) | NC |
| 250H185 | _ | Fixed Centermount Legrest, Long (Includes Calf Pads and Single Footplate) (13.5" - 18.5" Leg Length) | NC |
| Power Centerr | nount Le | arest | \$ |
| 250H175 | E1012 | Power Centermount Legrest, 90° - 0° Angle, 7.5" Extension (Mechanical Articulation) (5" to 17.5" Leg Length) | \$2,706.00 |
| 250H109 | E1012 | Power Centermount Legrest, 90° - 0° Angle, 7.5" Extension (Powered Articulation) (3" to 17.5" Leg Length) | \$3,791.00 |
| | | | |
| | nount Le | grest Accessories | \$ |
| Footplates 250F127 | K0040 | Dual, Height, Width and Angle Adjustable, Standard (14"W x 10"D) | \$197.00 |
| 250F128 | K0040 | Dual, Height, Width and Angle Adjustable, Large (16"W x 12"D) | \$197.00 |
| | | Available with Power Centermounts) | Ψ107.00 |
| 250DI68 | K0108 | Extra Large Centermount Footplate (Single Footplate Overlay 16"W x 12"D) | \$199.00 |
| 250DI69 | K0108 | Footplate Connector Link (Attaches footplates together) | \$97.00 |
| 250DI57 | K0108 | Gel Footpads (Pair, LH and RH) | \$408.00 |
| Calf Pad Option | | correspond in any 21 and 1117 | ψ.ισσ.σσ |
| 250Dl34 | _ | Calf Pads, Pair, Standard | NC |
| 250Dl35 | E0995 | Calf Pads, Pair, Padded (N/A w/ Std footplate) | \$408.00 |
| Pelvic Position | ning Belts | | |
| 250A837 | - | Positioning Belt, Auto Style Buckle, 50 mm 1600 mm / 2" | NC |
| 250A839 | - | Positioning Belt, Aircraft Buckle, 50 mm x 1300 mm / 2" | NC |
| 250A840 | E0978 | Positioning Belt, Aircraft Buckle, Padded 50 mm x 1300 mm / 2" | \$88.00 |
| 250A845 | K0108 | Bodypoint – Evoflex Pelvic Stabilizer Belt | \$203.00 |
| 250A846 | K0108 | Bodypoint – Evoflex Pelvic Stabilizer Belt with Extension | \$224.00 |
| Accessories | | | \$ |
| 02 Tank Option | (Note: O | nly one can be mounted on chair) | |
| 250A718 | E2208 | 02 Tank Holder Mounted to Backrest (D and E Styles) | \$379.00 |
| Captain Access | ories <i>(Ne</i> | ote: Only one can be mounted on chair) | |
| 250A608 | E2207 | Cane / Crutch Holder | \$303.00 |
| 250A610 | K0108 | Walker Holder | \$303.00 |
| | | ints in front of armpad and opposite of joystick) | |
| 2508A52 | - | Ram Mount Phone | \$100.00 |
| 2508A53 | - | Ram Mount Tablet | \$408.00 |
| 2508A54 | - | Ram Mount Cup Holder | \$100.00 |

| JOYSTICK / EL | LECTRO | DNICS | |
|----------------------|----------|---|------------|
| OPTION | HCPC | DESCRIPTION | RETAIL |
| R-net Joystick (| 'Remote | | \$ |
| 250J121 | - | Standard LED Joystick (w/o Screen Display) | NC |
| 250J116 | - | Color Joystick (2.3" Color LCD Screen Display, CJSM1) | NC |
| 250J118 | - | High Resolution Color Joystick, (CJSM2+BT) 3.5" Color LCD Display, Paddle Switches, Programmable Shortcut Keys, ICONs, Stereo Jack, IR and dual (IOS/Android) Bluetooth control | \$1,230.00 |
| 250J119 | - | Omit Remote Control | NC |
| Joystick Mount | ina | | \$ |
| 250JM34 | | Fixed on Armrest | NC |
| 250JM35 | E1032 | Parallel Swing-Away | \$345.00 |
| 250JM36 | E1032 | Link-It Mid Line Mount on Armrest (Swing-Away) | \$991.00 |
| 230310130 | E103Z | Lilik-it Wild Lilie Wildlift Off Affiliest (Swing-Away) | \$331.00 |
| Joystick Mount | (Locatio | on) | \$ |
| 250HM16 | - | Right Hand Armrest | NC |
| 250HM17 | - | Left Hand Armrest | NC |
| Display Langua | ae Selei | ction R-net | \$ |
| 250L1 | _ | English | NC |
| 250L3 | _ | French | NC |
| 250L7 | - | Spanish | NC |
| | 10 :: | | |
| Joystick Handle | | | \$ |
| 250JH13 | E2323 | Ball Handle | \$147.00 |
| 250JH15 | E2323 | T-Handle | \$147.00 |
| 250JH24 | E2323 | Bodypoint — Rubber Dome Joystick Handle | \$191.00 |
| 250JH25 | E2323 | Bodypoint – U-Shaped Joystick Handle (4 inch) | \$191.00 |
| 250JH26 | E2323 | Bodypoint – Grooved Mushroom Joystick Handle | \$191.00 |
| Electronic Progr | rammers | S | \$ |
| 250PR13 | - | R-net PC Wireless Programmer | \$613.00 |
| R-net Power Mo | ndules | | \$ |
| 250ER11 | _ | Power Module, R-net, 120A, Non-Expandable (Only available with Group 4) | NC |
| 250ER10 | - | Power Module, R-net, 120A, Expandable (Only available with Group 4) Required for specialty controls or 3+ actuators | \$1,454.00 |
| 250EX09 | E2377 | Expandable 120A Controller - R-net | \$764.00 |
| 250EX10 | E2313 | Harness for 120A Expandable Controller | \$690.00 |
| 250ER18 | _ | Power Module, R-net, 90A, Non-Expandable (Available with No Power and Single Power) | NC |
| 250ER17 | - | Power Module, R-net, 90A, Expandable Required for specialty controls or 3+ actuators | \$1,454.00 |
| 250EX15 | E2377 | Expandable 90A Controller - R-net | \$764.00 |
| 250EX16 | E2313 | Harness for 90A Expandable Controller | \$690.00 |

| JOYSTICK / ELECTRONICS | | | | | |
|--|------------------|--|------------|--|--|
| OPTION | HCPC | DESCRIPTION | RETAIL | | |
| Seating Contro | l <i>(Buttor</i> | n Switches will not be mounted) | \$ | | |
| Powered Seating Control | | | | | |
| 250E040 | _ | Omit Thru-Drive (Requires Switch Control) | NC | | |
| 250E037 | E2310 | Thru-Drive Control for 1 Actuator | \$2,240.00 | | |
| 250E038 | E2311 | Thru-Drive Control for 2+ Actuators | \$4,055.00 | | |
| Switch Control Only | | | | | |
| 250E033 | - | Dual Toggle for 1 Actuator | NC | | |
| 250E034 | - | 2.5" Single Button Switch for 1 Actuator | NC | | |
| 250E041 | - | Ctrl+5 Switch Box for 2 Actuators or More | NC | | |
| Additional Power Seating Control (Available with Thru-Drive only) | | | | | |
| 250QG11 | - | Ctrl+5 Switch Box with Free Assignable Functions | \$1,459.00 | | |
| Dual Toggle Mounting Location | | | | | |
| 250TN1 | - | Toggle Mount, Right | NC | | |
| 250TN2 | - | Toggle Mount, Left | NC | | |
| Ctrl+5 Mounting Location (Will swing away if mounted in same location as joystick) | | | | | |
| 250EY19 | - | Right Armrest | NC | | |
| 250EY20 | - | Left Armrest | NC | | |
| Ctrl+5 Switch Type | | | | | |
| 250EY22 | - | Push Buttons | NC | | |
| 250EY23 | K0108 | Toggle Switches | \$350.00 | | |

R-net Programming

\$

Assignable Buttons

Assignable Button feature allows for personalization of joystick buttons and/or Ctrl+5 Switches allowing access to various wheelchair and seating functions. When enabled, chair will be pre-programmed with seating functions assigned to buttons on the joystick. Assignments can be changed via PC Dongle.

| 250PM12 | _ | Include Assignable Buttons | NC | | | |
|--|-------|--|------------|--|--|--|
| Power Centermount Footplate Extension Option | | | | | | |
| 250IE03 | K0108 | Include 7.5" Powered Footplate Extension for Transfer Assist (Electronics programmed to allow footplates to be extended with or without legrest being raised.) Only available with Powered Articulation. | \$1,459.00 | | | |

built4me

| Q700 M with Captain's Seat | \$ | | | |
|-------------------------------|----|--|--|--|
| Base Price | | | | |
| Total of additional equipment | | | | |
| Packaging and transport | | | | |
| Total Price | | | | |

