

AI

ALUMINIUM 2020

CE



Customer Contact Details

Customer Name: _____

RGK Genius: _____

Address: _____

Phone: _____

Email: _____

Ship to Customer Address: _____

Shipping Name: _____

Shipping Address: _____

Phone: _____

Email: _____

Additional Information

Notes: _____
_____Current Wheelchair: _____
Customer Weight: _____
Customer Height: _____
Customer Disability: _____

Other

VAT Exemption Declaration (UK Only):

I declare that I am chronically sick or disabled by reason of:

and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.


Signature: _____ Date: _____

RGK Contact Authorisation:

From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.

I would like to be contacted by RGK:

Signature: _____ Date: _____

Guide:	<input checked="" type="checkbox"/> Base product	<input checked="" type="checkbox"/> Required option	<input type="checkbox"/> Optional Extra	Critical Information	Information Needed																																		
PRODUCT STYLE																																							
ECAXZ010 ELITE CX \$8,215.00																																							
<input checked="" type="checkbox"/> XA600 Heat treated frame <input checked="" type="checkbox"/> ECAXA062 Standard <input checked="" type="checkbox"/> ECAXA063 Standard with 25mm seatrail \$76.00																																							
Max User Weight 125kg (275lbs) PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM																																							
CAD APPROVAL																																							
CAD approved by: Customer RGK Genius																																							
XW009 QUOTE ONLY (NO CAD FOR APPROVAL) \$0.00			XW011 ORDER (NO CAD FOR APPROVAL) \$0.00																																				
XW012 QUOTE CAD drawing for approval \$464.00 (2 customer amendments ONLY)			XW010 ORDER CAD drawing for approval \$267.00 (2 customer amendments ONLY)																																				
KEY FRAME MEASUREMENTS																																							
<p><input checked="" type="checkbox"/> XY010 Seat width (<i>Inside to inside of sideguards</i>)</p> <p> mm in <i>(Max - 390mm)</i> <i>(Min=270mm)</i></p> <p><i>Select CX shell width (optional)</i></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">A-330mm</td> <td style="width: 50%;">XY010 = 270-315</td> <td style="width: 50%;">C-380mm</td> <td style="width: 50%;">XY010 = 320-365</td> </tr> <tr> <td>B-355mm</td> <td>XY010 = 295-340</td> <td>D-405mm</td> <td>XY010 = 345-390</td> </tr> </table> <p><i>Hard foam will be used to get Seat width</i></p>						A-330mm	XY010 = 270-315	C-380mm	XY010 = 320-365	B-355mm	XY010 = 295-340	D-405mm	XY010 = 345-390																										
A-330mm	XY010 = 270-315	C-380mm	XY010 = 320-365																																				
B-355mm	XY010 = 295-340	D-405mm	XY010 = 345-390																																				
<p><i>Note: CX Shell Seat Taper</i></p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2">Seat Taper</th> <th colspan="4">Seat length (mm)</th> </tr> <tr> <th>250</th> <th>300</th> <th>350</th> <th>400</th> </tr> </thead> <tbody> <tr> <td>Seat width (mm)</td> <td>330</td> <td>305</td> <td>280</td> <td>255</td> </tr> <tr> <td></td> <td>355</td> <td>330</td> <td>305</td> <td>280</td> </tr> <tr> <td></td> <td>380</td> <td>355</td> <td>330</td> <td>305</td> </tr> <tr> <td></td> <td>405</td> <td>380</td> <td>355</td> <td>330</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>305</td> </tr> </tbody> </table>						Seat Taper	Seat length (mm)				250	300	350	400	Seat width (mm)	330	305	280	255		355	330	305	280		380	355	330	305		405	380	355	330					305
Seat Taper	Seat length (mm)																																						
	250	300	350	400																																			
Seat width (mm)	330	305	280	255																																			
	355	330	305	280																																			
	380	355	330	305																																			
	405	380	355	330																																			
				305																																			
<p><input checked="" type="checkbox"/> XY020 Seat length</p> <p> mm in <i>Std = 20mm less than seat upholstery (Max - 500mm)</i></p> <p><input checked="" type="checkbox"/> XY030 Extra seat length (<i>Provides additional leg support & hand grip</i>)</p> <p> mm in</p>																																							
<p><input checked="" type="checkbox"/> ECAXY050 Front seat height (<i>Floor to middle of seat without cushion</i>)</p> <p> mm in <i>(Max - 630mm)</i> <i>(Min - 360mm)</i></p> <p><input checked="" type="checkbox"/> ECAXY060 Rear seat height (<i>Floor to middle of seat without cushion</i>)</p> <p> mm in <i>(Max - 630mm)</i> <i>(Min - 360mm)</i></p> <p><input checked="" type="checkbox"/> XY070 Frame length</p> <p> mm in <i>(Min = XY020 + XY030 + 140mm)</i></p>																																							
 																																							

FRONT FRAME

XY080 Seat taper design



Specify taper width

mm in



FOOTREST

Footrest Type


 ECAXB080 Fixed position footrestECAXB145 Multi position footrest tubes
\$154.00

Footrest Measurements


Front footrest height

mm in
(min = 35mm)


Footrest width

mm in
(Std = 200mm)


Rear footrest height

mm in
(min = 35mm)

Footrest length

mm in
(Std = 250mm)Footrest position
(front of footplate to castor pot)

mm in



Footrest Plate

XB190 Carbon fibre footplate
\$254.00XB100 ABS moulded foot tray
\$149.00ECAXB140 Spacer kit
\$21.00 (Allows for 25mm increase in height)Specify length
mm in
Max = 380mm (Full)
Std = 330mm

Footrest Plate Options

XB240 Aluminium raised edges
\$87.00 (Cost per Edge)XB250 Carbon Fibre raised edge
(1 side only)

Front Back Left Right

Front Back

Specify height

mm in
(Max = 60mm)


Specify height

mm in
(Max = 45mm)

Castor Pin Width

 XY330 Castor pin width

mm in MAX 320mm



Optimise measurements

CAMBER BAR, WING AND ANTI-TIP


Centre of Gravity and Camber Angle

 ECAXY510 Fixed centre of gravitySpecify measurement
mm in XY390 Camber angle

18 20

Wing Options (Choose one)

ECAXA110 Round design basketball wing

ECAXA120 Straight sided design basketball wing
\$193.00ECAXA125 Arrow design basketball wing
\$193.00

Anti-tip options (Choose one)

ECAXJ040 Single fixed anti tip



mm in

ECAXJ060 Double fixed anti tip
\$274.00

mm in



CX SIDES

Side Measurements



Sideguard height
(std = 150mm)/(follow tyre)/(Max = 180)

mm in

Backrest depth
(std = 120mm)/(Max = 150)

mm in

Individual Shape




BACKREST


Backrest Height (Choose One)

 XY230 Fixed backrest heightSpecify height
mm in Backrest depth top
(distance from front of back post to middle of upholstery)

mm in

Note: Take measurement
from existing chair Backrest depth bottom
(distance from front of back post to middle of upholstery)

mm in

CASTOR AND REAR WHEELS							
Castor Options							
XC160	Sport 61mm castor (Black)			XC181	Bones Reds bearings (All castor bearings)		
XC200	Sport micro fork			XC182	Bones Swiss Ceramic bearings (All castor bearings)		\$322.00
Rear Wheel Size							
XY420	24" Wheels	XY430	25" Wheels	XY440	26" Wheels	XY450	700C Wheels
Rear Wheel Gap							
XY460	Rear wheel gap	15	20	25	30	XY460	OR
							
Rear Wheel Options							
XK080	Spinergy SLX 24 spoke			XK330	Spinergy SLX R10 heavy duty 24 spoke (18 deg camber angle only)		
\$867.00				\$1,527.00			
XK101	Spinergy XSLX 24 spoke + Caps			XK521	Spinergy Ceramic bearing upgrade		
\$914.00				\$277.00			
Spinergy Colour Options:							
Black spokes	White spokes		Yellow spokes	XK180	Individual spoke design (Specify colour)		
Red spokes	Blue spokes		Pink spokes			Inside:	
Purple spokes	Orange spokes		Green spokes			Outside:	
Spinergy Anodise Options							
XK190	Black hub (std option)	XY200	Silver hub	XK201	Red hub/rims	XK205	Individual hub/rims
		\$106.00		\$316.00		\$366.00	Select colour:
XK202	Purple hub/rims	XY203	Blue hub/rims	XK204	Gold hub/rims		
\$316.00		\$316.00		\$316.00			
Supply Without Wheels							
XY040	Supply without Wheels						
Handrim Position / Options							
XY480	Narrow set handrim			XY485	Wide set handrim		
XL090	Remove excess mounting tabs			XL080	Super narrow set handrim (only with XL040 and includes XL090)		
\$117.00	(recommended for small wheel gaps)			\$224.00			
Handrim Style							
XL010	Aluminium hard anodised 6 tab			XL040	Titanium 6 tab (Not with 700C)		
				\$278.00			
XL070	Aluminium hard anodised 12 tab (24" not available)			XL050	Stainless steel 6 tab		
\$106.00				\$146.00			
Tyre Options							
XM070	Kenda Kaliente	Red	Blue	XM095	Kenda Wide (Grey Only)		
				\$41.00			
XM150	IRC Exeracer Pro (Red Only)						
\$96.00							
XM080	Tufo MS3 tubeless (Blue only)						
\$96.00							
Spare Wheel							
ECAXK500	Spare wheel Spinergy (Built up + axle pin)			XK523	Spare wheel upcharge - Individual Hubs/Rims		
\$978.00				\$141.00			
XK520	Spare wheel upcharge - Titanium Rims			XK524	Spare wheel upcharge - Individual Spoke Colour		
\$227.00				\$102.00			
XK522	Spare wheel upcharge - Remove Excess Tabs						
\$60.00							
Inner Tube Valve Options							
XY500	Schraeder inner tube valve			XY490	Presta inner tube valve (Standard if no option selected)		

FINISH OPTIONS

Frame finish

XN010 Powder coated frame







Frame	<u>Gloss</u>	Frame	<u>Matt</u>	Frame	<u>Special</u>
	Black gloss 103		Black matt 105		Chrome Mirror 300
	White gloss 100		White matt 101		Sparkle silver 170
	Grey gloss 132		Grey matt 131		Metallic black matt 104
	Cream gloss 135		Light grey matt 133		Metallic grey matt 130
	Red gloss 108		Navy blue matt 152		Black sandpaper 201
	Yellow gloss 120				Grey sandpaper 202
	Forest green gloss 143				White sandpaper 200
	Green gloss 107				
	Dark blue gloss 151	XN200	Individual paint colour (State Colour/RAL code)		
			\$189.00		
	Royal blue gloss 154				
	Blue gloss 174				
	Duckegg blue gloss 141				
	Pink gloss 188				
	Orange gloss 180				
	Purple gloss 157				

ECAXN030 Brushed frame
\$383.00ECAXN050 Polished frame
\$1,013.00

Accent Colour

Note: Accent colour includes, forks, castor caps, and decals.

Black accent	Silver accent	XN250	Individual accent
Red accent	Blue accent	\$189.00	
Purple accent			

CUSHION																	
Cushion foam options																	
<input checked="" type="checkbox"/>	XP200	CX seat and backrest upholstery															
Seat cushion foam thickness																	
7mm	10mm	25mm	50mm	<i>Individual thickness</i>	mm	in	Seat cushion foam type	Plastazote (Hard)									
							Soft	Med									
Backrest foam thickness																	
7mm	10mm	25mm	50mm	<i>Individual thickness</i>	mm	in	Backrest foam type	Plastazote (Hard)									
							Soft	Med									
<i>Indicate Max Height:</i>																	
580mm			630mm														
STRAPPING																	
Velcro straps					Ratchet Straps												
XS050	100mm Pro adjustable velcro strap				XS020	Sport ratchet strap (Click strap) (11" x 2" pad)											
\$131.00					\$89.00												
XS055	50mm Pro adjustable velcro strap				XS021	Sport ratchet strap (Single)											
\$131.00					\$89.00												
XS057	50mm Pro adjustable velcro <u>Knee</u> strap (measurement from tube to tube over knees)				XS025	Pelvi Loc 2DA ratchet strap (For thighs and knees)											
\$131.00					\$233.00												
Velcro strap position																	
<p>Strap 1</p>  <p>Specify strap length</p> <table> <tr> <td>mm</td> <td>in</td> </tr> </table> <p>Specify distance from back post</p> <table> <tr> <td>mm</td> <td>in</td> </tr> </table>										mm	in	mm	in				
mm	in																
mm	in																
<p>Strap 2</p>  <p>Specify strap length</p> <table> <tr> <td>mm</td> <td>in</td> </tr> </table> <p>Specify distance from back post</p> <table> <tr> <td>mm</td> <td>in</td> </tr> </table>										mm	in	mm	in				
mm	in																
mm	in																
<p>Ratchet strap position</p> <table> <tr> <td>Strap 1</td> <td>Strap 2</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>Specify distance from back post</td> <td>Specify distance from back post</td> </tr> <tr> <td>mm</td> <td>in</td> </tr> </table>										Strap 1	Strap 2			Specify distance from back post	Specify distance from back post	mm	in
Strap 1	Strap 2																
																	
Specify distance from back post	Specify distance from back post																
mm	in																
XS040	Fixed mounting points (one set per click strap)				\$93.00	x1	x2	x3									
FRAME OPTIONS																	
XR060	Calf strap mounting loops				XR065	Strap location loops											
\$111.00					\$111.00												
																	
																	
ACCESSORIES																	
XR030	Triple wheel bag (Black)				XS070	Foot strap (select if required)											
\$109.00					\$111.00												
XP130	Frame protectors full length				XS060	Calf strap (select if required)											
\$100.00					<input checked="" type="checkbox"/>	XP400	Back bar protector										
XA150	Plastic tube fitted to offensive wing				<input checked="" type="checkbox"/>	XR090	Tool kit										
\$71.00					\$111.00												

ADDITIONAL NOTES

OFF SPEC REQUEST* <i>(please specify below the page number(s) and details to which the off spec request applies.)</i>	OFF SPEC REQUEST APPROVED <i>(for internal RGK office only)</i> <input checked="" type="checkbox"/> <i>RGK Internal Sign-off</i>
<small>Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*</small>	

Estimated MSRP*