



Zippie Zone

May 2025

EIRZ1

Date: _____

Dealer Acct #: _____

Dealer: _____

Dealer Contact: _____

Dealer Address: _____

Dealer City: _____ ST: _____ ZIP: _____

Dealer Phone: () _____ Fax: () _____

Confirm Via: ☐ Fax ☐ Email

Mark For: _____

SUBMITTING FOR: ☐ Quote ☐ Order

PO#: _____

Ship To: _____

Attention: _____

Address: _____

Address: _____

Ship To City: _____ ST: _____ ZIP: _____

Ship To Phone: () _____ Fax: () _____

The HCPCS CODES herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative HCPCS CODES, including misc. codes to ensure access for their enrollees. The use of HCPCS CODES does not ensure coverage or payment.

✓	Option #	HCPCS	Definition	Price	✓	Option #	HCPCS	Definition	Price
1. FRAME STYLE									

Frame w/ seating			
☐	190FS38	E1235	Zippie Zone w/ seating \$3,135
☐	190FS39	E1235	Zippie Zone, Flared w/ seating (Increase of total frame length approx. 2" - 1" per side flare.) \$3,173

Note: HCPCS Codes shown as submitted. Some sizes fit other HCPCS codes i.e. 15"-16" widths = K0005

Frame w/o seating			
☐	190FS40	E1237	Zippie Zone w/o seating \$2,931
☐	190FS41	E1237	Zippie Zone, Flared w/o seating (Increase of total frame length approx. 2" - 1" per side flare.) \$2,960

Note: HCPCS Codes shown as submitted. Some sizes fit other HCPCS codes i.e. 15"-16" widths = K0005

2. TRANSIT

☐	190TO41	K0108	Transit Option (Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)	\$374
--------------------------	---------	-------	---	-------

3. FRAME SETUP

Frame Angle			
☐	190FA8		80° Frame Angle NC

Frame Inset Per Side (Footrest)			
☐	190FF1		0" NC
☐	190FF2		1" (N/A 8"-9" frame width or with flared frame) NC

4. FRAME WIDTH

☐	190W35		8" (N/A w/ 17"-18" depth) NC
☐	190W36		9" (N/A w/ 17"-18" depth) NC
☐	190W1		10" (N/A w/ 17"-18" depth) NC
☐	190W2		11" (N/A w/ 17"-18" depth) NC
☐	190W3		12" NC

☐	190W4		13" NC
☐	190W5		14" NC
☐	190W6		15" NC
☐	190W7		16" NC

5. SEAT DEPTH (FRAME DEPTH)

For additional caster/wheel clearance you can choose a different frame length and sling depth (i.e. shorter sling vs longer frame to allow more wheel/caster combos.)

☐	190SD2		9" (Frame grows 10" - 12") NC
☐	190SD3		10" (Frame grows 11" - 13") NC
☐	190SD4		11" (Frame grows 12" - 14") NC
☐	190SD5		12" (Frame grows 13" - 15") NC
☐	190SD6		13" (Frame grows 14" - 16") NC

☐	190SD7		14" (Frame grows 15" - 17") NC
☐	190SD8		15" (Frame grows 16" - 18") NC
☐	190SD9		16" (Frame grows 17" - 18") NC
☐	190SD10		17" (Frame grows 18") NC
☐	190SD11		18" (No Depth Growth) (N/A with Transit) NC

6. SLING DEPTH

For additional caster/wheel clearance you can choose a different frame length and sling depth (i.e. shorter sling vs longer frame to allow more wheel/caster combos.)

☐	190GJ1	8" (Sling Grows 9"-10")	NC
☐	190GJ2	9" (Sling Grows 10"-11")	NC
☐	190GJ3	10" (Sling Grows 11"-12")	NC
☐	190GJ4	11" (Sling Grows 12"-13")	NC
☐	190GJ5	12" (Sling Grows 13"-14")	NC

☐	190GJ6	13" (Sling Grows 14"-15")	NC
☐	190GJ7	14" (Sling Grows 15"-16")	NC
☐	190GJ8	15" (Sling Grows 16"-17")	NC
☐	190GJ9	16" (Sling Grows 17"-18")	NC
☐	190GJ10	17" (Sling Grows 18")	NC
☐	190GJ11	18" (No Growth)	NC

7. SEATING**Seating Systems**

☐	190OP05	Ultra Seat Sling (Tension Adjustable)	NC
☐	190OP04	Omit Seat Sling	NC

JAY Cushions (Optional)

To order any JAY cushions on-chair, please see the JAY price list.

Cushion name or part number must be filled out with desired width and depth

☐	190JC20	JAY Bundled Cushion	Price List
		Cushion Name or Part #	
		Width (in.) Depth (in.):	

8. BACKREST**Backrest Type**

☐	190BT96	Folding Angle Adj. w/ Double Lock Down	NC
--------------------------	---------	--	----

Backrest Upholstery

Must complete Section A on next page

☐	190BU1	Standard Upholstery (N/A with Fold Down Push Handles)	NC
☐	190BU72	Omit Std. Upholstery (N/A with Fold Down Push Handles) (Default when choose w/o seating)	NC

Must complete Section B on next page

☐	190BU70	E2611	Tension Adj. Ballistic Nylon 186BU70 (N/A with 8"-9" widths)	\$367
☐	190BU73		Omit Tens. Adj. Ballistic Nylon	NC

JAY Backs (Optional)

To order any JAY backs on-chair, please see the JAY Price Lst. Requires Part #

☐	190JB02	JAY Bundled Backrest	Price List
		Backrest Name or Part #	
		Width (in.) Height (in.):	

Backrest Handle Option (Stroller Handle)

8"-10" widths have a single stroller handle; omit push handle recommended. Receiver places handle outside std. 2" extension and inside 4" ext. Double "D" tubing to eliminate rotation.



☐	190A192	Telescoping Push Handles (19" from Seat)	\$250
☐	190A195	Telescoping Push Handles - Tall (25" from seat to push handle)	\$250

Backrest Extension

Standard Extension 2"

☐	190OD20	Rear Backrest Extension Brackets (4" overall)	\$110
--------------------------	---------	--	-------

SECTION A - Standard Upholstery



1A: OMIT PUSH HANDLE OPTIONS W/ STANDARD UPHOLSTERY OR WHEN OMITTING UPHOLSTERY

☐ 190PH2 Omit Push Handles NC

Choose 0 or 1" Inset and Back Height

☐ 190OD7	0 inset (<i>straight back tubes</i>)	NC
☐ Setting	6"- 8" Back Height	NC
	☐ 6" ☐ 7" ☐ 8"	
☐ Setting	9" - 13" Back Height	NC
	☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13"	
☐ Setting	13" - 17" Back Height	NC
	☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17"	
☐ Setting	15" - 18" Back Height	NC
	☐ 15" ☐ 16" ☐ 17" ☐ 18"	

OR

☐ 190OD5	1" inset (<i>N/A 8"-9" widths</i>)	\$94
☐ Setting	11"- 13" Back Height	NC
	☐ 11" ☐ 12" ☐ 13"	
☐ Setting	14" - 16" Back Height	NC
	☐ 14" ☐ 15" ☐ 16"	
☐ Setting	16" - 18" Back Height	NC
	☐ 16" ☐ 17" ☐ 18"	

2A: INTEGRAL PUSH HANDLE OPTIONS W/ STANDARD UPH.

☐ 190PH6 Integral Push Handles NC

Choose 0 or 1" Inset and Back Height

☐ 190OD7	0 inset (<i>straight back tubes</i>)	NC
☐ Setting	9"-10" Back Height	NC
	☐ 9" ☐ 10"	
☐ Setting	11" - 15" Back Height	NC
	☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15"	
☐ Setting	13" - 16" Back Height	NC
	☐ 13" ☐ 14" ☐ 15" ☐ 16"	
☐ Setting	15" - 18" Back Height	NC
	☐ 15" ☐ 16" ☐ 17" ☐ 18"	

OR

☐ 190OD5	1" inset (<i>N/A 8"-9" widths</i>)	\$94
☐ Setting	12"- 14" Back Height	NC
	☐ 12" ☐ 13" ☐ 14"	
☐ Setting	14" - 16" Back Height	NC
	☐ 14" ☐ 15" ☐ 16"	
☐ Setting	16" - 18" Back Height	NC
	☐ 16" ☐ 17" ☐ 18"	

SECTION B - Tension Adjustable Ballistic Nylon

1B: OMIT PUSH HANDLE OPTIONS W/ TENSION ADJ.

☐ 190PH2 Omit Push Handles NC

Choose 0 or 1" Inset and Back Height

☐ 190OD7	0 inset (<i>straight back tubes</i>)	NC
☐ Setting	11"- 14" Back Height	NC
	☐ 11" ☐ 12" ☐ 13" ☐ 14"	
☐ Setting	13" - 15" Back Height	NC
	☐ 13" ☐ 14" ☐ 15"	
☐ Setting	15" - 18" Back Height	NC
	☐ 15" ☐ 16" ☐ 17" ☐ 18"	

OR

☐ 190OD5	1" inset (<i>N/A 8"-11" widths</i>)	\$94
☐ Setting	11" - 13" Back Height	NC
	☐ 11" ☐ 12" ☐ 13"	
☐ Setting	14" - 16" Back Height	NC
	☐ 14" ☐ 15" ☐ 16"	
☐ Setting	16" - 18" Back Height	NC
	☐ 16" ☐ 17" ☐ 18"	

2B: INTEGRAL PUSH HANDLE OPTIONS W/ TENSION ADJ.

☐ Integral Push Handles NC

Choose 0 or 1" Inset and Back Height

☐ 190OD7	0 inset (<i>straight back tubes</i>)	NC
☐ Setting	9"-10" Back Height	NC
	☐ 9" ☐ 10"	
☐ Setting	11" - 14" Back Height	NC
	☐ 11" ☐ 12" ☐ 13" ☐ 14"	
☐ Setting	13" - 16" Back Height	NC
	☐ 13" ☐ 14" ☐ 15" ☐ 16"	
☐ Setting	15" - 18" Back Height	NC
	☐ 15" ☐ 16" ☐ 17" ☐ 18"	

OR

☐ 190OD5	1" inset (<i>N/A 8"-11" widths</i>)	\$94
☐ Setting	12"- 14" Back Height	NC
	☐ 12" ☐ 13" ☐ 14"	
☐ Setting	14" - 16" Back Height	NC
	☐ 14" ☐ 15" ☐ 16"	
☐ Setting	16" - 18" Back Height	NC
	☐ 16" ☐ 17" ☐ 18"	

3B: FOLD DOWN PUSH HANDLE OPTIONS W/ TENSION ADJ.

☐ 190PH5 Fold Down Push Handles \$102

Choose 0 or 1" Inset and Back Height

☐ 190OD7	0 inset (<i>straight back tubes</i>)	NC
☐ Setting	11"-12" Back Height	NC
	☐ 11" ☐ 12"	
☐ Setting	13" - 16" Back Height	NC
	☐ 13" ☐ 14" ☐ 15" ☐ 16"	
☐ Setting	15" - 18" Back Height	NC
	☐ 15" ☐ 16" ☐ 17" ☐ 18"	

OR

☐ 190OD5	1" inset (<i>N/A 8"-11" widths</i>)	\$94
☐ Setting	15"- 17" Back Height	NC
	☐ 15" ☐ 16" ☐ 17"	
☐ Setting	17" - 18" Back Height	NC
	☐ 17" ☐ 18"	

9. ARMRESTS

Armrest - Padded Swing Away

With Transit, Lose 1" Seat Depth Growth

☐	190AA23	E0973	Padded Swing Away - Low					\$263
	☐	Setting	☐ 5"	☐ 6"	☐ 7"	☐ 8"	☐ 9"	
☐	190AA18	E0973	Padded Swing Away - Std.					\$263
	☐	Setting	☐ 9"	☐ 10"	☐ 11"	☐ 12"	☐ 13"	
			☐ 14"					

With Transit, Lose 1" Seat Depth Growth, below option adds 3" in Length

☐	190AA127	E0973	Padded Swing Away +3" - Low				\$263
	☐ Setting		☐ 5"	☐ 6"	☐ 7"	☐ 8"	☐ 9"
☐	190AA128	E0973	Padded Swing Away+3" - Std.				\$263
	☐ Setting		☐ 9"	☐ 10"	☐ 11"	☐ 12"	☐ 13"
			☐ 14"				

Armrest - T-Post Foam (see armrest matrix below)

☐	190AA129	E0973	T-Post Foam xtra tall	\$244
☐	190AA130	E0973	T-Post Foam 2x tall	\$244


Armrest - Height Adjustable (see armrest matrix below)

Comes with std. armrest receiver only - N/A with 8"-9" depths


☐	190AA11	E0973	Single-Post Height Adj. Std. (N/A with 8"-11" depths)	\$333
☐	190AM23		Desk Classic	NC
☐	190AM21		Desk Contour	NC
☐	190AM24		Full Classic	NC
☐	190AM22		Full Contour	NC
☐	190AA29	E0973	Single-Post Height Adj. Low. (N/A with 8"-9" depths)	\$333
☐	190AM23		Desk Classic	NC
☐	190AM21		Desk Contour	NC
☐	190AM24		Full Classic	NC
☐	190AM22		Full Contour	NC

Armrest Matrix for Single Post and T-Post

Armrest Size	Transfer Tube Length (D)	CLASSIC PAD		
		Height Range (H)	Pad Length (L)	
STD	8"	8" to 13"	Desk	Full
LOW	5-1/4"	6-1/2" to 10-1/2"	10-1/4"	14"
Armrest Size	Transfer Tube Length (D)	CONTOUR PAD		
		Height Range (H)	Pad Length (L)	
STD	8"	7-1/2" to 12-1/2"	10-1/2"	14-1/4"
LOW	5-1/4"	6" to 10"	10-1/2"	14-1/4"



Single Post



T-Post

10. FOOTRESTS

Footrest

☐	190F228		Aluminum Tubular	NC
☐	190F273		Aluminum Tubular w/ Snap-On Cover	\$36
☐	190F50	K0040	Aluminum Platform (8" width is only available with high mount option)	\$110
☐	190F276	K0040	Angle Adj. Flip Back (N/A with 6" caster with an 8" width)	\$216

Adaptive Platform Spacers

N/A with Aluminum Tubular. Now available with Angle Adj. Flip Back.

☐	190AD1		Adaptive Platform 2" Spacer	\$110
☐	190AD2		Adaptive Platform 4" Spacer	\$110
☐	190AD3		Adaptive Platform 6" Spacer	\$110

Footrest Options (see matrix below)

☐	190DI08		High Mount Ext Tubes (N/A w/ tubular footrest; N/A w/ 16" wide flared frame) **	\$88
☐	190DI03	K0038	Leg Strap	\$47
☐	190DI04		Extra Leg Strap	\$42
☐	190DI05		Gel Hanger Cover	\$123
☐	190DI07		Neoprene Impact Guards	\$105
☐	190DI02		Wear Pads	\$58

SEAT SLING TO FOOTREST DISTANCE (based on 1" Seat Angle)

* Seat to Footrest distances may be +/- 1" from data shown dep. on frame type.

** High mount can adj. full range to seat sling

Note: Flip back may interfere with sling at highest settings.

FSH	Caster	*Minimum	*Maximum
14.5"	3"	10.4"	11.4"
14.5"	4"	9.4"	10.9"
15.0"	3"	11.4"	12.4"
15.0"	4"	10.4"	11.9"
15.0"	5"	9.4"	11.4"
15.5"	3"	11.4"	12.4"
15.5"	4"	10.4"	11.9"
15.5"	5"	10.4"	12.4"
15.5"	6"	9.4"	11.9"
16.0"	3"	12.4"	13.4"
16.0"	4"	12.4"	13.9"
16.0"	5"	10.4"	12.4"
16.0"	6"	10.4"	12.9"
16.5"	3"	12.4"	13.4"
16.5"	4"	11.4"	12.9"
16.5"	5"	10.4"	12.4"
16.5"	6"	10.4"	12.9"
17.0"	3"	13.4"	14.4"
17.0"	4"	12.4"	13.9"
17.0"	5"	11.4"	13.4"
17.0"	6"	11.4"	13.9"
17.5"	3"	13.4"	14.4"
17.5"	4"	12.4"	13.9"
17.5"	5"	11.4"	13.4"
17.5"	6"	11.4"	13.9"
18.0"	3"	14.4"	15.4"
18.0"	4"	13.4"	14.9"
18.0"	5"	12.4"	14.4"
18.0"	6"	11.4"	13.9"
18.5"	3"	14.4"	15.4"
18.5"	4"	14.4"	15.9"
18.5"	5"	12.4"	14.4"
18.5"	6"	12.4"	14.9"
19.0"	3"	14.4"	15.4"
19.0"	4"	14.4"	15.9"
19.0"	5"	12.4"	14.4"
19.0"	6"	12.4"	14.9"

 Not Available with 1" Inset

Front Seat Height Matrix

Front Caster				
Rear Wheel Size	☐ 3"	☐ 4"	☐ 5"	☐ 6"
20"	☐ 14.0"	☐ 14.0"	N/A	N/A
	☐ 14.5"	☐ 14.5"		
	☐ 15.0"	☐ 15.0"	☐ 15.0"	
	☐ 15.5"	☐ 15.5"	☐ 15.5"	☐ 15.5"
	☐ 16.0"	☐ 16.0"	☐ 16.0"	☐ 16.0"
	☐ 16.5"	☐ 16.5"	☐ 16.5"	☐ 16.5"
	☐ 17.0"	☐ 17.0"	☐ 17.0"	☐ 17.0"
	☐ 17.5"	☐ 17.5"	☐ 17.5"	☐ 17.5"
	☐ 18.0"	☐ 18.0"	☐ 18.0"	☐ 18.0"
	☐ 18.5"	☐ 18.5"	☐ 18.5"	☐ 18.5"
22"	☐ 19.0"	☐ 19.0"	☐ 19.0"	☐ 19.0"
	☐ 15.5"	☐ 15.5"	☐ 15.5"	☐ 15.5"
	☐ 16.0"	☐ 16.0"	☐ 16.0"	☐ 16.0"
	☐ 16.5"	☐ 16.5"	☐ 16.5"	☐ 16.5"
	☐ 17.0"	☐ 17.0"	☐ 17.0"	☐ 17.0"
	☐ 17.5"	☐ 17.5"	☐ 17.5"	☐ 17.5"
	☐ 18.0"	☐ 18.0"	☐ 18.0"	☐ 18.0"
	☐ 18.5"	☐ 18.5"	☐ 18.5"	☐ 18.5"
24"	☐ 19.0"	☐ 19.0"	☐ 19.0"	☐ 19.0"
	☐ 16.0"	☐ 16.0"	☐ 16.0"	☐ 16.0"
	☐ 16.5"	☐ 16.5"	☐ 16.5"	☐ 16.5"
	☐ 17.0"	☐ 17.0"	☐ 17.0"	☐ 17.0"
	☐ 17.5"	☐ 17.5"	☐ 17.5"	☐ 17.5"
	☐ 18.0"	☐ 18.0"	☐ 18.0"	☐ 18.0"
	☐ 18.5"	☐ 18.5"	☐ 18.5"	☐ 18.5"
	☐ 19.0"	☐ 19.0"	☐ 19.0"	☐ 19.0"

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES ABOVE.
DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME
OF THE ABOVE SIZES MAY NOT BE AVAILABLE

11. CASTERS

Caster Wheel			
☐	190CW1	3" Micro	NC
☐	190CW3	4" Low-Profile Polyurethane	NC
☐	190CW31	4" Micro Light Up	\$82
☐	190CW64	4" x 1.5" Aluminum Soft Roll	\$216
☐	190CW5	5" Low-Profile Polyurethane	NC
☐	190CW51	5" Micro Light Up	\$102
☐	190CW6	E2219 5" Soft Roll (Grey) (N/A with Frog Legs)	\$105

☐	190CW7	5"x1.5" Semi-Pneumatic	\$100
☐	190CW66	5"x1.5" Aluminum Soft Roll	\$227
☐	190CW34	6" Poly	NC
☐	190CW35	6"x1.5" Semi-Pneumatic	\$100

Caster Forks and Suspension

☐	190CF65	Multiple Position	NC
☐	190CF69	Multi Position Single Sided	\$147
☐	190CF53	E1015 Frog Legs 0 - 100 lbs.	\$507
☐	190CF70	E1015 Frog Legs 101 - 165 lbs.	\$507

12. AXLES AND WHEELS

Axle Plate			
☐	190AL61	Adjustable (COG Adjustable -0.25" through 2.25" in 0.25" increments)	NC

Center of Gravity Preset

Dependent on wheels, casters & depth

☐	190CC21	-0.25"	NC
☐	190CC26	0.00" (Flush w/ backrest)	NC
☐	190CC22	0.25"	NC
☐	190CC16	0.50"	NC
☐	190CC23	0.75"	NC
☐	190CC20	1.00"	NC
☐	190CC24	1.25"	NC
☐	190CC15	1.50"	NC
☐	190CC25	1.75"	NC
☐	190CC17	2.00"	NC
☐	190CC27	2.25"	NC

Camber

☐	190CI1	0°	NC
☐	190CI2	3°	NC
☐	190CI4	6° (N/A with Std Mag, 5 spk MAG Wheels and Hub locks or Side guard Hub locks)	NC

Rear Seat Height

Can not exceed 2.5" drop

☐	190RH13	14"	NC
☐	190RH14	14.5"	NC
☐	190RH15	15"	NC
☐	190RH16	15.5"	NC
☐	190RH17	16"	NC
☐	190RH18	16.5"	NC
☐	190RH19	17"	NC
☐	190RH26	17.5"	NC
☐	190RH20	18"	NC
☐	190RH27	18.5"	NC
☐	190RH21	19"	NC

Rear Seat Height Minimum

Rear Wheel	14.0"	14.5"	15.0"	15.5"	16.0"	16.5"	17.0"	17.5"	18.0"	18.5"	19.0"
20"											
22"											
24"											

* With 22" & 24" rear wheels and KIK or HP Clinchers, you may get an additional 1/2" lower seat height in some scenarios.

Rear Wheels

☐	190RW3	20" Mag	NC
☐	190RW8	22" Mag	NC
☐	190RW1	24" Mag	NC
☐	190RW103	20" Mag Wheel 5 Spoke	NC
☐	190RW104	22" Mag Wheel 5 Spoke	NC
☐	190RW102	24" Mag Wheel 5 Spoke	NC
☐	190RW74	20" Lite Spoke Wheel	\$234
☐	190RW75	22" Lite Spoke Wheel	\$234
☐	190RW76	24" Lite Spoke Wheel	\$234
☐	190RW06	22" Ultra lightweight Spoke Wheel 2.0	\$292
☐	190RW10	24" Ultra Lightweight Spoke Wheel 2.0	\$292
☐	190RW28	22" Spinergy SPOX Black Spokes	\$957
☐	190RW95	24" Spinergy SPOX Black Spokes	\$957
☐	190RW32	22" Spinergy LX Black Spokes	\$1,196
☐	190RW98	24" Spinergy LX Black Spokes	\$1,196

Rear Wheel Tire

☐	190RT3	Full Poly Tire	NC
☐	190RT6	E2211 E2212 High Pressure Clincher	\$110
☐	190RT38	E2218 SHOX Performance Poly	\$110
☐	190RT27	E2211 E2212 Knobby V-TRAK by Kenda	\$110
☐	190RT1	Pneumatic	NC
☐	190RT2	E2211 E2213 Pneumatic Airless Insert	\$100
☐	190RT21	E2211 E2212 Schwalbe Marathon Plus Evolution	\$164
☐	190RT28	E2211 E2212 Schwalbe Speed	\$164
☐	190RT4	Low Poly	NC

	Wheel	5 Spoke Mag	Mag	Lite Spoke	Ultra Light-weight	Spinergy
Tire						
Full Poly Tire	20", 22", 24"	20", 22", 24"	20", 22"	N/A	N/A	
High Pressure Clincher	N/A	N/A	22", 24"	24"	22", 24"	
SHOX Performance Poly	20", 22", 24"	24"	24"		24"	
Knobby V-TRAK	N/A	N/A	24"		24"	
Pneumatic	20", 22", 24"	20", 22", 24"	20", 22", 24"		22", 24"	
Pneumatic Airless Insert	20", 22", 24"	20", 22", 24"	20", 22", 24"		22", 24"	
Schwalbe Marathon Plus	N/A	N/A	24"	22", 24"	22", 24"	
Schwalbe Speed Run	N/A	N/A	24"	24"	22", 24"	
Low Poly	24"	20", 22", 24"	20", 22", 24"	N/A	N/A	
22" = 489 mm 24" = 540 mm						

12. AXLES AND WHEELS (Cont.)

22" Rear Wheels w/ 5" Casters & 3° or 6° of Camber 0" Frame Inset

Not available in 12" or less seat depths

- 13" Seat Depth
- Must have front seat to floor height at least 17" in the front and 15-1/2" in the rear.
 - You can increase STFs but must keep 1-1/2" dump.
 - If you change camber to 0° you can get away with 1" dump
 - You must choose COG setting of -1/4".
- 14" Seat Depth
- Able to get away with 1" seat dump with a minimum of 15-1/2" in the Rear and 16-1/2" in Front.
 - Can have COG set as far forward as +1/4".
- 15" Seat Depth
- Able to get away with 1" seat dump with min of 15" Rear STF and 16" Front STF
 - COG can be adjusted as far forward as 1".

22" Rear Wheels w/ 4" Casters, 3° or 6° of Camber, and 0" Frame Inset

Not available in 8" or 9" seat depths.

- 10" Seat Depth
- Must have at least a 15" Rear STF and 16" Front STF.
 - COG setting must be -1/4".
 - If you increase Rear STF to 15-1/2" and 16-1/2" Front STF you can move COG to 0".
 - If you increase the dump to 1 1/2" (15 R-STF and 16 1/2" F-STF) or change Camber to 0 degrees you can increase COG to 1/4".
- 11" Seat Depth
- Same as 10" Seat Depth, just allows you to have COG setting a 1/4"
- 12" Seat Depth
- Must have at least 15" Rear STF and 15-1/2" Front STF.
 - COG setting can be as far forward at 1/2".
 - If you increase the dump to 1" instead of 1/2" you can increase COG as far forward as 1".

24" Rear Wheels w/ 4" Casters, 3° or 6° Camber, and 0" Frame Inset

Not available in 10" seat depths or less.

- 11" Seat Depth
- Must have at least a 16" Rear STF and 17" Front STF.
 - COG setting can be 0" or -1/4".
- 12" Seat Depth
- Must have at least 16" Rear STF and 17" Front STF.
 - COG setting can be as far forward as 1". (Camber must be 3 degrees)
 - If camber is 6° then COG can only be as far forward as 3/4"

Handrim

☐	190HR1	Aluminum Anodized	NC
☐	190HR4	Plastic Coated (N/A on Ultra)	\$129
☐	190HR22	Natural Fit - Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$549
☐	190HR23	Natural Fit - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$611
☐	190HR30	Natural Fit LT - Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$549
☐	190HR31	Natural Fit LT - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$611
☐	190HR24	Spinergy Flex Rim (Only on 24" Spinergy LX)	\$816
☐	190HR7	Omit Handrim (Only on Mag, 24 Spinergy)	NC

Axle

☐	190AX1	Quick Release Steel	NC
--------------------------	--------	---------------------	----

Hub Lock

Only available with Lite Spokes; N/A with 6° camber

☐	190LK03	Seat Frame Mount	\$116
		(Side Guard - See Below)	

Side Guard (N/A with Ht. Adj. Armrest or T-Post)

☐	190SG33	Plastic Standard (N/A 8"-9" depth; N/A w/ low padded swing aways.)	\$169
☐	190SG29	Plastic Low (N/A 8"-9" depth; N/A w/ Padded Swing Aways low setting 5&6)	\$169
☐	190SG7	Aluminum Folding	\$216

Aluminum Side Guard Color Option

Only available with Aluminum Side Guard

☐	190GE01	Black	NC
☐	190GE02	Matching Frame - Std. Colors	NC
☐	190GE03	Matching Frame - Personalized Color	\$57

Anti-Tip

☐	190AT1	E0971	Rear Anti-Tips (N/A w/ Dynamic Center Rear Caster)	\$175
--------------------------	--------	-------	---	-------

Dynamic Center Rear Caster

☐	1908A20	E0971	Dynamic Center Rear Caster (N/A w/ Rear Anti-Tips)	\$345
--------------------------	---------	-------	---	-------

Wheel Lock

☐	190WL1	High Mount Push	NC
☐	190WL2	High Mount Pull	NC
☐	190WL30	Compact	\$164
☐	190WL10	Omit Wheel Lock	NC

Extension Handle

☐	190EH1	E0961	6" Pair	\$88
--------------------------	--------	-------	---------	------

13. ACCESSORIES

Back Pack (Kids Backpack included)

☐	190A1	Utility Backpack - Black	\$88
☐	190A2	Additional Kids Black Backpack	\$70
☐	190A8	Black Seat Pouch	\$58

Miscellaneous

☐	190A203	E2207	Crutch Holder	\$227
☐	190A83		Tool Kit	\$63

Positioning Belt (w/ clamps)

☐	190A112	E0978	1" Dual Pull Side Squeeze Padded	\$100
☐	190A117	E0978	Belt 2" Aircraft Buckle	\$129
☐	190A118	E0978	Belt 2" Aircraft Buckle Padded	\$139
☐	190A141	E0978	Belt 1.5" Auto Buckle w/ clamps	\$82
☐	190A814	E0978	1" Comfort Fit APB5116	\$139
☐	190A120	K0108	Positioning Belt Side Clamp	\$58

Spoke Guard

Not available with 5 spoke MAG wheels

☐	190A23	K0065	Black	\$134
☐	190A303	K0065	Spoke Guards Clear Zippie (N/A with Spinergy)	\$134

Upper Extremity Support Tray

☐	190A29	E0950	X-Sm (Suggested 10"-12" Width)	\$298
☐	190A30	E0950	Sm (Suggested 13"-14" Width)	\$298
☐	190A31	E0950	Med (Suggested 15"-17" Width)	\$298
☐	190A32	E0950	Lrg (Suggested 18"-20" Width)	\$311

Canopy

☐	1908A06	K0108	Canopy (Sunshade) 10" - 17"	\$321
☐	1908A07	K0108	Canopy (Sunshade) 18" - 20"	\$321

14. FRAME COLOR

Standard Colors

☐	190C214	Black (Gloss)	NC
☐	190C215	Black (Matte)	NC
☐	190C211	Celestial Sapphire	NC
☐	190C212	Desert Sage	NC
☐	190C213	Desert Tan	NC
☐	190C216	Metallic Shadow	NC
☐	190C217	Midnight Blue	NC
☐	190C218	Mystic Purple	NC
☐	190C219	Petal Pink	NC
☐	190C220	Pink Power	NC
☐	190C221	Red Pepper	NC
☐	190C222	Royal Blue	NC
☐	190C223	Salute Green	NC
☐	190C224	Scarlet Noir	NC
☐	190C225	Silver Ore	NC
☐	190C226	Solar Orange	NC
☐	190C227	Starlight White	NC
☐	190C228	Storm Gray	NC
☐	190C229	Turbo Green	NC
☐	190C230	Velocity Yellow	NC

Personalized Colors

☐	190C43	Mossy Oak Camouflage	\$460
☐	190C42	Stars and Stripes	\$460
☐	190C108	Zebra (Requires a standard base color selection) N/A Black Matte/Gloss	\$460

Anodized Color Package

Forks, Backrest Bracket, Rear Axle Sleeve; If Frog Legs are chosen, forks will be black

☐	190EB07	Black	NC
☐	190EB08	Blue	\$187
☐	190EB13	Gold	\$187
☐	190EB09	Green	\$187
☐	190EB11	Red	\$187
☐	190EB12	Ti Grey	\$187

Additional Options Through Built-4-Me

To inquire about any unique personalization for Quickie products, contact: Phone: (800) 333 - 4000, Fax: (800) 333 9011

Commonly Requested Options Include:

- ✓ Aluminum Seat Pan
- ✓ Swing Away Knee Aductor
- ✓ Height Adjustable Stroller Handle
- ✓ Removable Stroller Handle
- ✓ Personalized Paint and Anodizing

built4me



Sunrise Medical (US) LLC
12002 Volunteer Blvd · Mount Juliet, TN 37122 · USA